# Artificial Intelligence Assisted Animation Character Generation and Stylistic Expression Method

Gang Li[1]

[1] *Liaoning Communication University, Shenyang 110136, China*
[1] *Email: 1530323826@qq.com*

**ABSTRACT**
AI (artificial intelligence) technology is profoundly reshaping the animation creation process, triggering changes in ontology and aesthetic logic. The purpose of this article is to build a theoretical framework of intelligent assisted animation role generation. By analyzing the ontological evolution of the generation paradigm, the research reveals the logic of turning from rule-driven to data generation, and establishes a new creative form of potential spatial navigation. On this basis, the semantic mapping mechanism of role construction and the aesthetic principle of style expression are discussed, and the methods of feature decoupling, time sequence constraint and style quantification in potential space are analyzed. This article examines the subject boundary problem in man-machine cooperation, puts forward a new perspective of copyright ethics based on intention dominance, and analyzes the game relationship between creativity contingency and certainty. Intelligent generation is not a simple substitute, but a reconstruction of human-computer cognitive division of labor. In this article, an evaluation framework of animation creation value in the intelligent age is constructed, which provides theoretical support for the protection of artistic noumenon value under the intervention of technology, promotes the development of animation theory in depth, and establishes the theoretical coordinates of AI in animation art ecology.

***Keywords:*** *Artificial intelligence, Animation role generation, Stylized expression, Semantic logic, Creative subject boundary*

## 1. INTRODUCTION

As an important carrier of visual culture, animation art is undergoing unprecedented technical reconstruction. With the rapid development of AI technology, especially the breakthrough of generative model, the generation and stylized expression of animated characters are no longer limited to the traditional manual drawing or parametric binding, but turned to the intelligent generation path based on data [1]. This transformation has greatly improved the production efficiency and touched the ontological basis and aesthetic logic of animation creation [2]. Traditional animation creation depends on the artist's direct control of lines, colors and motion laws, which is an explicit and deterministic construction process. However, AI-assisted creation introduces the concepts of probability model and potential space, which makes the generation of characters a hidden and possible exploration process [3]. This leap from “deterministic construction” to “possibility generation” constitutes the core background of this study.

However, the current academic and industrial research mostly focuses on the technical realization of specific algorithms or the effect evaluation of application cases, and lacks a systematic review of the deep theoretical mechanism behind AI-assisted creation [4]. The existing discussions often fall into the mold of instrumental rationality, paying too much attention to the generation speed and image accuracy, while ignoring the changes in the cognitive division of labor between man and machine in the creative process and the aesthetic mechanism behind stylized expression [5]. How to define the boundary of “assistance” in the context of intelligence, how to understand the semantic mapping between machine generation and human intention, and the aesthetic mechanism of stylized expression at the algorithm level are all in urgent

need of theoretical response. Without theoretical guidance, the application of technology may become a blind experiment, and it is difficult to truly integrate into the deep structure of artistic creation [6]. Especially in the aspect of stylized expression, how to understand the aesthetic characteristics of artistic schools and how to maintain the consistency of styles rather than simple texture superposition in the generation is a difficult problem that has not been fully explained in the theoretical circle. This article aims to build a theoretical framework for AI-assisted animation character generation. This study is expected to provide theoretical support for understanding animation creation in the intelligent age and provide a new perspective for the modernization transformation of animation art theory.

## 2. THEORETICAL TURN OF GENERATIVE PARADIGM

Traditional animation character construction follows the logic of rule-driven. Whether it is hand-drawn key frames or bone binding of 3D software, its essence is the explicit definition of geometric structure and motion law [7]. The creator directly manipulates the visual results through certain parameter instructions, and the process is highly predictable and linear. The intervention of AI marks a fundamental shift from generation paradigm to data-driven. In this new paradigm, roles are no longer static assets that are predefined, but probability distributions that exist in high-dimensional potential spaces. This transformation leads to the reconstruction of the attribute of creative ontology. The intelligent generation model encodes the role characteristics into potential variables by learning the hidden rules in massive data. The creative process is no longer simply instruction execution, but navigation and sampling of potential space. Therefore, the logic of human-computer interaction has evolved from “command-execution” to “intention-feedback” loop iteration. The function of the creator has changed from micro-brush control to macro-semantic guidance, while the machine has undertaken the translation from abstract semantics to figurative vision [8]. The digital existence form of the role also changes. It is no longer a fixed collection of files, but a set of variables that can be dynamically evolved and generated indefinitely.

## 3. SEMANTIC LOGIC OF ROLE CONSTRUCTION

The core of animation character construction is to establish an accurate mapping mechanism between text semantics and visual features. Natural language descriptions are often ambiguous and ambiguous, while visual generation requires certain geometric and topological structures. The generation model transforms abstract semantic concepts into concrete image vectors through potential spatial alignment technology [9]. This mapping process is not nonlinear, but a hierarchical semantic parsing process. Table 1 reveals the influence of different levels of semantics on the weight of the generated results. The high-level semantics have stronger global binding force, while the low-level details allow more random space. This hierarchical mapping theory provides a structured perspective for understanding the internal logic of intelligent generation, so that the creator can predict the behavior boundary of the algorithm.

Table 1. Hierarchical Mapping Table of Semantic-Visual Features for Animation Characters

| Semantic Level | Corresponding Visual Features | Control Mechanism | Theoretical Constraints |
|---|---|---|---|
| Macro Semantics | Character Identity, Race, Gender | Latent Space Clustering | Semantic Consistency Constraint |
| Meso Attributes | Morphological Structure, Proportions, Costume | Control Net Guidance | Topological Invariance |
| Micro Details | Texture Material, Lighting and Shadow, Brushstrokes | Noise Scheduling Strategy | High-Frequency Feature Preservation |

On the basis of semantic mapping, the theory of decoupling and controllability of role attributes constitutes another pillar of intelligent generation. Traditional generation models often face the problem of attribute entanglement, that is, changing the expression of a character may accidentally distort its identity. The ideal generation architecture should realize the feature decoupling of core attributes such as identity, expression and action. This study proposes that by orthogonalizing the latent variable space, the system can independently adjust specific attributes without affecting other

dimensions. This decoupling mechanism enables the creator to control the local characteristics of the character as accurately as a puppet, without having to regenerate the whole image. The logical constraints of structural consistency and temporal coherence are very important for animation sequences. The generation of a single frame image only solves the static semantic problem, while animation requires the characters to maintain identity in multiple frames. The generation model needs to introduce the sequential attention mechanism, and take the structural information of the previous frame as prior knowledge to constrain the generation of the current frame. This logical constraint ensures that the shape of the character will not drift during the movement.

## 4. AESTHETIC MECHANISM OF STYLE EXPRESSION

Artistic style is not a simple visual representation, but an organic system composed of multiple aesthetic elements such as brushwork, color, composition, light and shadow. The generative model needs to transform these abstract aesthetic features into computable mathematical representations in order to realize real stylized expression. Style can be defined as the feature vector of data distribution at the algorithm level, and its essence is the projection of statistical laws implied in training data in potential space. As shown in Figure 1, the process of style transfer includes four core links: style coding, feature decoupling, spatial mapping and reconstruction output, each of which involves different aesthetic mechanisms. This process reveals that stylized expression is not a one-way texture coverage, but a multi-level feature interaction process.





Figure 1 Flowchart of four-stage aesthetic mechanism of stylized expression

The abstract level and fidelity of style transfer constitute another core dimension of aesthetic mechanism. Different levels of style transfer will produce completely different visual effects. Local texture migration only changes the surface texture and retains the original composition and structure;

the overall composition migration may reshape the spatial relationship and visual center of gravity of the picture. The abstract level of style transfer determines the boundary of content fidelity. High-level style migration often trades for the purity of style at the expense of content fidelity, while low-level migration can better maintain the integrity of the original content. This dialectical relationship requires the creator to seek a dynamic balance between style intensity and content recognition. The generation model achieves this balance through adjustable style weight parameters, but the setting of weight lacks a unified theoretical standard and still relies on empirical debugging.

The generation and evolution path of personalized style further expands the theoretical boundary of aesthetic mechanism. The model internalization mechanism of specific artist style or specific genre style involves the deep coding and generalization ability of style features. The generation system forms a transferable style template by learning the common features in the style samples. However, the style is not static in the process of generation, but presents the characteristics of dynamic evolution. Repeated iterative generation will lead to the drift and mixing of style features, which may not only produce unexpected innovative effects, but also lead to the attenuation of style purity. The path of style evolution can be described theoretically by tracing the trajectory of potential space, and each generation can be regarded as the displacement of style vector in potential space. Understanding this evolution mechanism is helpful to predict the trend of style change and provide controllable style evolution strategies for creators.

## 5. BOUNDARY RECONSTRUCTION OF CREATIVE SUBJECT

In traditional animation creation, the artist is the only giver of meaning and the undertaker of responsibility, and the ownership of the author is clear and definite. With the intervention of AI, the creative process is transformed into the co-existence of human and algorithm, which leads to the blurred and dynamic boundary of the creative subject. This study holds that the definition of the author's right should no longer be limited to the drafter of the final image, but should turn to the investigation of the dominant power of creative intention. Human creators provide core creativity and aesthetic judgment, while algorithm models are responsible for execution and mutation generation, and they share intellectual contributions with different weights in the creative chain. This division of labor requires the theoretical circle to re-examine the definition of "creator" and regard the algorithm as a semi-autonomous cooperative subject, rather than a simple tool. The legal and ethical framework needs to adapt to this change, and establish a new type of copyright recognition standard based on contribution to protect the core rights and interests of human creators, while acknowledging the special attributes of the content generated by the algorithm, so as to respond to the challenge brought by the fuzzy subject boundary at the institutional level.

In the concrete practice of man-machine cooperation, there is a continuous game between creative contingency and intention certainty. Human intentions often have a clear goal orientation, and the mechanism of generating models based on probabilistic noise introduces uncontrollable randomness. This randomness may not only destroy the integrity of creative intention, but also inspire unexpected artistic inspiration. As shown in Figure 2, the model of creative intention circulation reveals the logic of power and responsibility distribution from the initial intention of human beings to the formation of the final work. The model shows how intention is transmitted, deformed and confirmed between man and machine, and clarifies the responsibility attribution of each link.





Figure 2 Model diagram of intention flow and power and responsibility distribution in human-computer collaborative creation

The future examination of the ontological value of animation art needs to go beyond the technical level and return to the essence of emotional expression and aesthetic experience. Technical intervention should not weaken the function of animation as an emotional carrier, but should make creators pay more attention to narrative and emotional construction by liberating productive forces. The evaluation framework of animation creation value in the intelligent era needs to include multi-dimensional indicators such as algorithm contribution, human intervention intensity and final aesthetic effect. The future animation theory should establish an inclusive value system, recognize the new aesthetic form produced by man-machine cooperation, and stick to the core position of human emotional experience. Only by clarifying the boundary of creative subject in theory can we realize the harmonious symbiosis between technology and art in practice and promote the sustainable development of animation art in the intelligent context.

## 6. CONCLUSION

The generation paradigm of animation creation has undergone a fundamental shift, from the traditional rule-driven deterministic construction to the data-driven possibility generation, and the role existence form has been reconstructed into a set of variables in the potential space. This laid the ontological foundation of intelligent creation. Role construction depends on hierarchical semantic logic. The mapping mechanism between macro identity and micro details ensures the controllability and consistency of generation, solves the contradiction between semantic ambiguity and visual determination, and orthogonalizes the potential variable space to achieve accurate decoupling of attributes. Style expression has a quantifiable aesthetic mechanism. Style transfer is not texture superposition, but the dynamic evolution process of feature vectors in potential space. The abstract level determines the boundary of content fidelity, and the path of style evolution can be described theoretically through the potential space trajectory. The boundary of creative subject needs to be reconstructed, and human-computer cooperation should define ethical attribution based on intention dominance. The game between creative contingency and intention certainty constitutes a new aesthetic tension, and the power and responsibility allocation model clarifies the responsibility attribution of each link.

This study clarifies the theoretical logic behind technology and constructs an evaluation framework of animation creation value in the intelligent era. The future development of animation theory should not exclude technology, but should stick to the core position of human emotional experience while acknowledging the contribution of algorithms. By establishing an inclusive value system and guiding technology to be good, we can ensure that human

beings always maintain their subjective position in the intelligent creative ecology.

## ACKNOWLEDGEMENTS

The authors acknowledge the Liaoning China Vocational Education Association: “Research on the AI-Enabled Teaching Supply – Demand Matching Mechanism for Private Education in Liaoning Based on Innovation-Driven Development"(NO:LNSH25062)

## REFERENCES

[1] Zhang Ruisi, Pan Ye. Deep Learning Techniques for Character Facial Animation Generation[J]. Journal of Computer-Aided Design & Computer Graphics, 2022, 34(05): 675-682.

[2] Fu Menghan, Fu Mengyuan. Exploring the Generative Evolution and Cultural Characteristics of Chinese Animated Hero Characters[J]. Movie Literature, 2025, (15): 61-65.

[3] Wang Lei, Li Shujie, Xie Wenjun, et al. Skeleton Motion Data Generation Algorithm for Human-like Character Animation[J]. Journal of Hefei University of Technology (Natural Science), 2023, 46(01): 36-41+140.

[4] Wu Yihe, Zhang Zhenning, Qiu Dong, et al. Research on Adaptive Grasping of Virtual Hand Based on Deep Reinforcement Learning[J]. Journal of Graphics, 2021, 42(03): 462-469. DOI: 10.11996/JG.j.2095-302X.2021030462.

[5] Zhou Na. Aesthetic Quality and Audio-Visual Integration of AI-Generated Animation in the Context of AIGC[J]. Movie Review, 2025, (16): 63-68. DOI: 10.16583/j.cnki.52-1014/j.2025.16.003.

[6] Zheng Ruikun, Liu Gengxin, Hu Ruizhen. Semi-supervised Character Animation Style Transfer[J]. Journal of Computer-Aided Design & Computer Graphics, 2025, 37(05): 821-831. DOI: 10.3724/SP.J.1089.2023-00385.

[7] Weng Jiankai, Zhao Na. The Reshaping and Innovation of AI-Driven Animation Film Creation Process[J]. Movie Literature, 2025, (02): 94-98+103.

[8] Liang Wei, Huang Yifan, Shen Yuxin, et al. Instruction-driven Stylized Motion Generation for Virtual Characters[J]. Transactions of Beijing Institute of Technology, 2024, 44(11): 1199-1207. DOI: 10.15918/j.tbit1001-0645.2024.017.

[9] Liu Shuyan, Ding Yubin, Zhu Yunfei. Group Path Planning in 3D Animation Based on Improved Particle Swarm Optimization[J]. Journal of Nanjing University of Science and Technology, 2022, 46(05): 594-599. DOI: 10.14177/j.cnki.32-1397n.2022.46.05.011.